GRAPHTEC





Cutting plotter



Instrument products



Label cutter



Others





MDS IT d.d. Leskoškova cesta 9E 1000 Ljubljana T: +386 (0)1 586 79 33 F: +386 (0)1 586 79 59 E:info@mds-it.si www.mds-it.si

GRAPHTEC

Graphtec Supplies & Accessories

Cutting plotter	1. Cutting blade	11. Pouncing tool
	2. Cutting blade holder	12. Creasing / Scoring tool
	3. Pen adapter	13. Loupe
	4. Life time of CB09 series	14. Water-based fiber-tip pen
	Blade type and typical application	15. Water-based fiber-tip pen holder
	6. Blade and the corresponding holder List	16. Oil-based ballpoint pen
	7. Cutting mat	17. Oil-based ballpoint pen holder
	8. Protect sheet	18. Push roller
	9. Adsorption mat	19. Rubbing Protection Tape
	10. Cross cutter blade	
Instrument products	1. Cable	4. Recording Paper (Z-fold paper)
•	2. Shunt resistor	5. Recording pen
	3. Recording paper (Roll paper)	
Label cutter	1. Paper core	
DLC1000	2. Cutter blade	
DEC1000	3. Cutter blade holder	
	4. Cutting mat	
	5. Loupe	
Others	1. Scanners	
	2. Auto feeder	

^{*}:Model numbers are switched to the new ones as soon as the stocks with the old model numbers run out.

 $[\]ensuremath{\ast}$:Availability of items could vary depending on the regions.

GRAPHTEC

Cutting plotter

Supported product CE6000Plus / CE6000 / CE7000 / FC8600 / FC9000 / CE LITE-50 / FC4500 / FC2250 / FCX2000 / FCX4000

Published item

1. Cutting blade 2. Cutting blade holder 3. Pen adapter 4. Blade type and typical application 5. Blade and the corresponding holder List 6. Cutting mat 7. Protect sheet 8. Adsorption mat 9. Cross cutter blade 10. Pouncing tool 11. Creasing / Scoring tool 12. Loupe 13. Water-based fiber-tip pen 14. Water-based fiber-tip pen holder 15. Oil-based ballpoint pen 16. Oil-based ballpoint pen holder


1. Cutting	blade				Grit	rolling		orted p	roduct		d type	
				Œ	8 8	Œ	FC	FC	FC	FO	FC	FO
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	CB09-L	Blade, 0.9 mm diameter. Angle 45° Life: less 2km (Paper), less 5km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
	СВ09-Е	Blade, 0.9 mm diameter. Angle 45° Life : 2-3km (Paper), 5km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
	CB09UB-5	Blade, 0.9 mm diameter. Angle 45° Life : 4-5km (Paper), 8-10km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
	CB09-P	Blade, 0.9 mm diameter. Angle 45° Life : 7-8km (Paper), 28-30km (Vinyl)	5blades/pack		•	•	•	•	•	•	•	•
	CB09UB-K60-5	Blade, 0.9 mm diameter. Angle 60° For tint film, car protection film, 0.03 mm to 0.25 mm thick	5blades/pack		•	•	•	•				
-	CB15U-5	Blade, 1.5 mm diameter. Angle 45° For heavy paper/board, 0.25 mm to 0.5 mm thick	5blades/pack		•	•	•	•	•	•	•	•
-	CB15U-K30-5	Blade, 1.5 mm diameter. Angle 30° For heat transfer media (Brick, Flock), Magnet sheet, Rubber sheet for Sandblast, 0.25 mm to 1.1 mm thick	5blades/pack		•	•	•	•	•	•	•	•
-	CB15UA-5	Blade, 1.5 mm diameter. Angle 45° For high-intensity reflective film (3M Engineer Grade), up to 0.5 mm thick	5blades/pack				•	•	•	•	•	•
-	CB15UA-K30-5	Blade, 1.5 mm diameter. Angle 30° For high-intensity reflective film (3M Diamond Grade), up to 1.0 mm thick	5blades/pack				•	•	•	•	•	•
	CB30UC-1	Blade, 3.0 mm diameter. Angle 45° For cardboard and corrugated board (E,F,G flute), up to 2.0 mm thick	1blade/pack								•	•
	PM-CB-001	Blade, 3.0 mm diameter. Angle 30° For plastic corrugated board, 1.0 mm to 3.0 mm thick	2blades/pack									•
	PM-BS-001	Blade for normal media (film, paper, others)	1pc/pack	•								
	PM-BS-002	Blade for thick media (soft rubber, polyurethane sheet, up to 1 mm)	1pc/pack	•								
				-			1	1	l		• • Δν	ailable

2. Cutting blade holder Supported product CE6000PLUS CE7000 CE LITE-50 FC2250 Model No. Item Description Package Blade holder for CB09U series blade PHP33-CB09N-HS 1pc/pack with plastic tip Blade holder for CB15U series blade PHP33-CB15N-HS 1pc/pack • • • with plastic tip Blade holder for CB30UC/PM-CB-001 cutting PM-CH-001 1pc/pack Blade holder for CB09U series blade PHP35-CB09-HS 1pc/pack Blade holder for CB15U series blade PHP35-CB15-HS 1pc/pack with metal tip

• : Available

3. Pen adap	ter						Suppo	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
000	PM-BH-001	Pen adapter for commercially available fiber-tip or ballpoint pen	1set/pack	•								

4. Life time of CB09 series



5. Blade type and typical application

	nd typical application h-quality blade for each ma		aused in a variety of annl	ications		Supp	orted pr	oduct	
©: Best solution •: Available	r quality shade for each ma	terial so that it carries	a used in a variety of appr	icatoris.	Gr	it rolling t	ype	Flatbe	ed type
Item	Model No.	Diameter	Angle	Suitable media type	CE6000Plus	FC9000 FC8600	CE LITE-50	FCX2000	FCX4000
	CB09 series	φ0.9mm	45°	Self-adhesive marking film (vinyl, fluorescent, reflective), Paper, Heat transfer media [Thickness] up to 0.25mm	0	©		•	•
	CB09UB-K60-5	φοιστικ	60°	Tint film, Car protection film [Thickness] up to 0.25mm	•	0			
	CB15U-5		45°	Heavy paper/board [Thickness] up to 0.5mm	•	•		0	0
-	CB15U-K30-5	— φ1.5mm	30°	Heat transfer media (Brick, Flock), Magnet sheet, Rubber sheet for Sandblast [Thickness] up to 1.1mm	0	•		•	•
-	CB15UA-5	Ψ1.311111	45°	High intensity reflective film (3M Engineer Grade) [Thickness] up to 0.5mm		©		•	•
-	CB15UA-K30-5		30°	High intensity reflective film (3M Diamond Grade) [Thickness] up to 1.0mm		©		•	•
	CB30UC-1	φ3.0mm	45°	Cardboard, Corrugated board (E,F,G flute) [Thickness] up to 2.0mm * Cutting accuracy is not guaranteed. Be sure to try it before using it.				©	
	PM-CB-001	φ3.5ππ	30°	Plastic corrugated board [Thickness] 1.0 ~ 3.0mm * Cutting accuracy is not guaranteed. Be sure to try it before using it.				0	
	PM-BS-001	φ0.9mm	45°	Normal media (film, paper, others) [Thickness] up to 0.25mm			©		
	PM-BS-002	φ1.5mm	30°	Thick media (soft rubber, polyurethane sheet) [Thickness] up to 1.0mm			©		

6. Blade a	nd the corresponding	holder List			Supported holder		
• : Available			PHP33- CB09N-HS Spring built-in type	PHP35- CB09-HS Spring built-in type	PHP33- CB15N-HS Spring built-in type	PHP35- CB15-HS Spring built-in type	PM-CH-001
Blade							-
Diameter	Item	Model No.					
φ0.9mm		CB09 series	•	•			
φο.σπιπ		CB09UB-K60-5	•	•			
		CB15U-5			•	•	
φ1.5mm		CB15U-K30-5			•	•	
φ1.5ππ		CB15UA-5			•	•	
		CB15UA-K30-5			•	•	
φ3.0mm		CB30UC-1					•
(*1)		PM-CB-001					•

^(*1) Cutting accuracy is not guaranteed. Be sure to try it before using it.

7. Cutting m	nat						Suppo	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CR-001	Cutting mat for CE LITE-50	1pc/pack	•								
	CE6-CM40-2	Cutting mat for CE6000-40/PLUS	2pcs/pack		•							
	CE6-CM60-2	Cutting mat for CE6000-60/PLUS	2pcs/pack		•							
	CE6-CM120-2	Cutting mat for CE6000-120/PLUS	2pcs/pack		•							
	U621390470	Cutting mat for FC8600-60	1pc/pack				•					
	U621261470	Cutting mat for FC8600-75	1pc/pack				•					
	U621271470	Cutting mat for FC8600-100	1pc/pack				•					
	U621281470	Cutting mat for FC8600-130	1pc/pack				•					
	U621291470	Cutting mat for FC8600-160	1pc/pack				•					
	U621399900	Cutting mat for FC8600	1roll/pack				•					
	PM-CR-005	Cutting mat for FC9000-75	2pcs/pack					•				
	PM-CR-006	Cutting mat for FC9000-100	2pcs/pack					•				
	PM-CR-007	Cutting mat for FC9000-140	2pcs/pack					•				
	PM-CR-008	Cutting mat for FC9000-160	2pcs/pack					•				
	PM-CR-009	Cutting mat for CE7000-40	2pcs/pack			•						
	PM-CR-010	Cutting mat for CE7000-60	2pcs/pack			•						
	PM-CR-011	Cutting mat for CE7000-130/130AP	2pcs/pack			•						
	PM-CR-012	Cutting mat for CE7000-160	2pcs/pack			•						

8. Protect sh	neet						Suppo	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CR-002A	Writing panel protect sheet (for FCX4000-50ES)	1sheet/pack							•		
	PM-CR-003A	Writing panel protect sheet (for FCX4000-60ES)	1sheet/pack							•		
	PM-CR-004A	Writing panel protect sheet (for FCX2000-120ES)	1sheet/pack									•

9. Adsorpti	on mat						Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
100	CM-0002	Double-side adhesive mat for creasing, size 610 mm x 435 mm,	2sheets/pack						•			
No. of the last of	CM-0003-R1A	Double-side coated roll, size 545 mm \times 20 m, for plastic materials	1roll/pack						•	•	•	•
	CM-0004	Cling mat for film based type material, size 610 mm x 645 mm	2sheets/pack						•		•	•
	PM-CM-001	Cling mat for film based type material, size 660 mm x 488 mm	2sheets/pack							•		
-	CM-0005	Cling mat for creasing, size 610 mm x 645 mm	2sheets/pack						•		•	•
15	PM-CM-002	Cling mat for creasing, size 660 mm x 488 mm	2sheets/pack							•		
F	PM-CM-003	Carrier sheet for media without backing paper Supported media size: 330mm x 483mm * Please consider to use with optional carrier sheet table "OPH-A45" for CE7000-40/60.	1sheet/pack	•	•	•						

10. Cross	cutter blade						Suppo	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
A. C. C. C.	СТ01Н	Cross cutter blade, Standard type	1pc/pack				•					
A P	СТ02U	Cross cutter blade, High durability type	1pc/pack				•					
	PM-CC-001	Manual cross cutter blade	1pc/pack	•								
	PM-CC-002	Cross cutter blade, Super steel type	1pc/pack					•				

• : Available

12. Creasing	g / Scoring t	cool					Suppo	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	CP-001	Stick type creasing tool, for heavy paper	1pc/pack						•	•	•	•
	CP-002	Roller type creasing tool (R0.2 mm), for heavy paper	1pc/pack								•	•
	CP-003	Roller type creasing tool (R0.6 mm), for cardboard	1pc/pack								•	•
	PM-CT-002	Ball on tip of stick creasing tool, for curve line on heavy paper	1pc/pack							•	•	•

• : Available

13. Loupe							Supp	orted p	roduct			
					Grit	rolling	type			Flatbe	d type	
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	PM-CT-001	Loupe for checking blade length, for PHP33 and PHP35 series	1pc/pack		•	•	•	•	•	•	•	•

: Available

15. Water-b	ased fiber-t	ip pen holder			Supported product Grit rolling type Flatbed type Flatbed type Flatbed type FC FC FC FC FC FC FC F							
					Grit rolling type Flatbed type FC2250 FC86000 CE FC86000 CE FC86000 CE FC86000 CE FC86000 FC86000							
ltem	Model No.	Description	Package	LITE-5	15	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
41 48 8	PHP31-FIBER	Pen holder for KF700 series pen	1set/pack		•	•	•	•		•	•	•

• : Available

16. Oil-based ballpoint pen				Supported product								
· ·				Grit rolling type Flatb								
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
	КВ700-ВК	Pen, Black	10pens/pack		•	•	•	•	•	•	•	•

• : Available

17. Oil-based ballpoint pen holder			Supported product									
				Grit	Flatbe	d type						
ltem	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
(1)	PHP34-BALL	Pen holder for KB700-BK	1set/pack		•	•	•	•	•	•	•	•

: Available

18. Push roller					Supported product								
					Grit rolling type Flatbed typ								
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000	
6	U792900900	Push Roller with snap pin for CE6/CE7/FC86/FC9	1set/pack		•	•	•	•					

19. Rubbing Protection Tape				Supported product								
			Grit rolling type Flath									
Item	Model No.	Description	Package	CE LITE-50	CE6000PLUS	CE7000	FC8600	FC9000	FC4500	FCX4000	FC2250	FCX2000
0	U792999800	Rubbing Protection Tape for front guide, 19mm x 10M	1roll/pack				•	•				

Auto feeder

Supported product F-MARK / F-MARK2

Suction cups				Supported product
Item	Model No.	Description	Package	F-MARK / F-MARK2
80	U797000027	Suction cups	2pcs/pack	•

: Available





MDS IT d.d. Leskoškova cesta 9E 1000 Ljubljana T: +386 (0)1 586 79 33 F: +386 (0)1 586 79 59 E:info@mds-it.si www.mds-it.si