

Océ Folder Professional 6011/6013

ES-TE ROLLER-BLADE TECHNOLOGY FOR FAST, RELIABLE AND PRECISELY FOLDED CAD AND GIS PRINTS



Océ Folder Professional series' Es-Te technology can be relied on for technical precision, speed and efficiency, ideal for CAD and GIS prints. With high productivity and reliability, it's an ideal partner for a seamless end-to-end workflow.



- Benefit from improved fan and cross folding for exceptional reliability and results.
- Cut manual labour with efficient automation - there's no need to collect, trim, adjust or stack any prints by hand.
- Create a fully supported end-to-end workflow thanks to smooth integration with Océ printers**
- Print and fold technical drawings of up to 914mm (36 inches) wide, ideal for CAD and GIS production.
- Enjoy absolute precision and fast results with Es-Te roller-blade folding technology, operated from the app or via a PC.
- Maximise production with folding speeds of up to 18m/min or 16 folded A1 sheets/min with the Océ ColorWave 9000 and Folder Professional 6011/6013*.
- Produce even the narrowest of folds for an expanded application range and business growth, including exceptional quality GIS maps.
- Enjoy complete flexibility and develop your own bespoke fold programmes with Express WebTools.
- Specialise and increase your print offerings with optional Map Fold and Long Fold Licences.
- Print wider and heavier prints without removing the folder - simply put down the folder bridge and start printing.
- Offer clients something extra and opt for the 6013 to automatically attach tabs or reinforcement strips.

PRODUCT RANGE



Océ Folder Professional 6011



Océ Folder Professional 6013
(including reinforcement unit)

Canon

TECHNICAL SPECIFICATIONS

Océ Folder Professional 6011/6013

| | | | |
|---|--|---|---|
| Folding speed | up to 18m/min in combination with the Océ ColorWave 9000 incl. high speed license, regular folding speed 2,5 - 10 m/min; 89.4 - 393.7 in/min | Acoustic sound pressure | 61 dB(A) |
| Cross Fold tray capacity | 150 mixed documents at 80 gr/m ² ; 20lbs | Power requirements | 100 - 120 V - 50/60 Hz 200 - 240 V - 50/60 Hz |
| Fan Fold tray capacity | 5 documents depending on fold style and document length | Main fuse | 10 A |
| Top tray capacity for unfolded documents | 100 documents plain paper or 10 documents glossy paper | Power consumption | Standby: 30 W Max: 300 W |
| Max. document length Fan fold only | 28 layers with 80 gsm; 20 lbs paper. absolute document length depends on panel width (approx. 28 x panel width). length can be unlimited as option | Weight Folder Professional 6011 | 303 kg; 668 lbs |
| Max. document length Fan and cross fold | 13 layers with 80 gsm; 20lbs paper. absolute document length depends on panel width. (approx 13 x panel width) | Dimensions Folder Professional 6011 (WxDxH) | 1634 x 1837 x 1227 mm; 64.3 x 72.3 x 48.3 in |
| Min. document width | 279 mm; 11 in | Shipping Weight Folder Professional 6011 | 353 kg / 779 lbs |
| Max. document width | 914 mm; 36 in | Shipping Dimensions Folder Professional 6011 (WxDxH) | 1070 x 1850 x 1430 mm; 42.1 x 72.8 x 56.3 in |
| Paper weight range | 60 - 110 g/m ² ; 16 - 30 lbs | Weight Folder Professional 6013 (with tab applicator) | 345 kg; 761 lbs |
| Preferred Paper weight range | 75 - 80 g/m ² ; 20 -24 lbs | Dimensions Folder Professional 6013 (with tab applicator) (WxDxH) | 1634 x 2157 x 1227 mm; 64.3 x 84.9 x 48.3 in |
| Panel width fan folder | 170 - 230 mm; 7 - 12.00 in (optional: 4 in - 12.00 in) | Shipping Weight Folder Professional 6013 (with tab applicator) | 395 kg; 871 lb |
| Panel width cross fold | 250 - 320 mm; 8 - 12.00 in | Shipping Dimensions Folder Professional 6013 (with tab applicator) (WxDxH) | 1070 x 2180 x 1430 mm; 42.1 x 85.8 x 56.3 in |
| Margin | 0 - 40 mm; 0 - 2 in | | |
| Fold programs | 255 - editable | | |
| Operating temperature | 15 -35 °C; 59 - 95 °F | | |
| Operating humidity | 20 - 80 % | | |



MDS Inovativne Tehnologije d. d.
Leskoškova cesta 9e, 1000 Ljubljana

+386 1 586 79 33

www.mds-it.si

info@mds-it.si

